




# VETERAN OUTCOMES



**27**  
Veterans served in 2021

**36**  
average number of days in treatment

**44**  
average age


**100%**  
of clients have more than one diagnosis

## OVERALL CLINICAL IMPROVEMENT


Sample Size: HopeWay's Veteran clients

■ Initial ■ End

### DEPRESSION



### ANXIETY



1. Kroenke et al. (2001). The PHQ-9: validity of a brief depression severity measure. J Gen Intern Med Sep;16(9):606-613. 2. Montgomery, S.A. & Asberg, M. (1979). A new depression scale designed to be sensitive to change. British Journal of Psychiatry, 134, 382-389. 3. Spitzer RL, et al: A brief measure for assessing generalized anxiety disorder. Arch Intern Med 2006;166:1092-1097. 4. Hamilton M. The assessment of anxiety states by rating. Br J Med Psychol 1959; 32:50-55. 5. PCL-5-Initial research suggests that a PCL-5 cutoff score between 31-33 is indicative of probable PTSD. Weathers, F.W., Litz, B.T., Keane, T.M., Palmieri, P.A., Marx, B.P., & Schnurr, P.P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Scale available from the National Center for PTSD at www.ptsd.va.gov.